

RTI Secure WAN Transport

Installation Guide

Version 6.1.2



© 2022 Real-Time Innovations, Inc.
All rights reserved.
Printed in U.S.A. First printing.
December 2022.

Trademarks

RTI, Real-Time Innovations, Connex, NDDS, the RTI logo, 1RTI and the phrase, “Your Systems. Working as one.” are registered trademarks, trademarks or service marks of Real-Time Innovations, Inc. All other trademarks belong to their respective owners.

Copy and Use Restrictions

No part of this publication may be reproduced, stored in a retrieval system, or transmitted in any form (including electronic, mechanical, photocopy, and facsimile) without the prior written permission of Real-Time Innovations, Inc. The software described in this document is furnished solely under and subject to RTI's standard terms and conditions available at <https://www.rti.com/terms> and in accordance with your License Acknowledgement Certificate (LAC) and Maintenance and Support Certificate (MSC), except to the extent otherwise accepted in writing by a corporate officer of RTI.

This is an independent publication and is neither affiliated with, nor authorized, sponsored, or approved by, Microsoft Corporation.

The security features of this product include software developed by the OpenSSL Project for use in the OpenSSL Toolkit (<http://www.openssl.org/>). This product includes cryptographic software written by Eric Young (eay@cryptsoft.com). This product includes software written by Tim Hudson (tjh@cryptsoft.com).

Notice

Any deprecations or removals noted in this document serve as notice under the Real-Time Innovations, Inc. Maintenance Policy #4220 and/or any other agreements by and between RTI and customer regarding maintenance and support of RTI's software.

Deprecated means that the item is still supported in the release, but will be removed in a future release. *Removed* means that the item is discontinued or no longer supported. By specifying that an item is deprecated in a release, RTI hereby provides customer notice that RTI reserves the right after one year from the date of such release and, with or without further notice, to immediately terminate maintenance (including without limitation, providing updates and upgrades) for the item, and no longer support the item, in a future release.

Technical Support

Real-Time Innovations, Inc.
232 E. Java Drive, Sunnyvale, CA 94089
Phone: (408) 990-7444
Email: support@rti.com
Website: <https://support.rti.com/>

Contents

1 Paths Mentioned in Documentation	1
2 Download Instructions	3
3 Installing on Windows Systems	4
4 Installing on Linux and Other Systems	6
5 Additional Documentation	8

1 Paths Mentioned in Documentation

The documentation refers to:

- **<NDDSHOME>**

This refers to the installation directory for *RTI® Connex® DDS*. The default installation paths are:

- macOS® systems:
/Applications/rti_connex_dds-6.1.2
- Linux systems, non-*root* user:
/home/<your user name>/rti_connex_dds-6.1.2
- Linux systems, *root* user:
/opt/rti_connex_dds-6.1.2
- Windows® systems, user without Administrator privileges:
<your home directory>\rti_connex_dds-6.1.2
- Windows systems, user with Administrator privileges:
C:\Program Files\rti_connex_dds-6.1.2

You may also see **\$NDDSHOME** or **%NDDSHOME%**, which refers to an environment variable set to the installation path.

Wherever you see **<NDDSHOME>** used in a path, replace it with your installation path.

Note for Windows Users: When using a command prompt to enter a command that includes the path **C:\Program Files** (or any directory name that has a space), enclose the path in quotation marks. For example:

```
"C:\Program Files\rti_connex_dds-6.1.2\bin\rtiddsgen"
```

Or if you have defined the **NDDSHOME** environment variable:

```
"%NDDSHOME%\bin\rtiddsgen"
```

- *<path to examples>*

By default, examples are copied into your home directory the first time you run *RTI Launcher* or any script in **<NDDSHOME>/bin**. This document refers to the location of the copied examples as *<path to examples>*.

Wherever you see *<path to examples>*, replace it with the appropriate path.

Default path to the examples:

- macOS systems: **/Users/<your user name>/rti_workspace/6.1.2/examples**
- Linux systems: **/home/<your user name>/rti_workspace/6.1.2/examples**
- Windows systems: **<your Windows documents folder>\rti_workspace\6.1.2\examples**

Where 'your Windows documents folder' depends on your version of Windows. For example, on Windows 10, the folder is **C:\Users\<your user name>\Documents**.

Note: You can specify a different location for **rti_workspace**. You can also specify that you do not want the examples copied to the workspace. For details, see *Controlling Location for RTI Workspace and Copying of Examples* in the *RTI Connex DDS Installation Guide*.

2 Download Instructions

Download *Secure WAN Transport* from the RTI Support Portal, accessible from <https://support.rti.com/>.

You will need your username and password to log into the portal; these are included in the letter confirming your purchase or license-managed (LM) copy. If you do not have this letter, please contact license@rti.com.

Secure WAN Transport also requires OpenSSL. OpenSSL is available from RTI's Support Portal, or you may obtain it from another source.

Once you have logged into the portal, select the **Downloads** link, then select the appropriate version of *Secure WAN Transport* and OpenSSL for your platform.

For *Secure WAN Transport*, download both:

- **rti_secure_wan_host-6.1.2-<host platform>.rtipkg**
- **rti_secure_wan-6.1.2-<target architecture>.rtipkg**

For OpenSSL, download both:

- **openssl-1.1.1n-6.1.2-host-<host platform>.rtipkg**
- **openssl-1.1.1n-6.1.2-target-<target architecture>.rtipkg**

Architecture names are described in the *RTI Connex DDS Core Libraries Platform Notes*.

If you need help with the download process, contact support@rti.com.

3 Installing on Windows Systems

You do not need administrator privileges. All directory locations are meant as examples only; adjust them to suit your site. <NDDSHOME> is described in [1 Paths Mentioned in Documentation on page 1](#).

1. Install the *Secure WAN Transport* host and target **.rtipkg** files on top of *RTI Connex DDS*.

There are two ways to install: from *RTI Launcher* or from the command line.

To install from *RTI Launcher*:

- a. Start *RTI Launcher*:

```
cd <NDDSHOME>  
bin\rtilauncher
```

- a. From the **Configuration** tab, click on **Install RTI Packages**.
- b. Use the + sign to add the **.rtipkg** files that you want to install.
- c. Click **Install**.

To install from the command line:

```
cd <NDDSHOME>/bin  
./rtipkginstall <path to .rtipkg file>
```

This will install files into the existing **rti_connex_dds-6.x.y** directory; including placement of the **rtiwanserver** application in **\bin**.

2. If not already included, add <NDDSHOME>\bin and <NDDSHOME>\lib\<architecture> to your PATH environment variable. For example:

```
set PATH=<NDDSHOME>\bin;%PATH%  
set PATH=<NDDSHOME>\lib\<architecture>;%PATH%
```

3. To verify your installation, enter:

```
rtiwanserver -help
```

You should see a response similar to:

```
Usage: rtiwanserver [options] ...
Options:
-help                Display this information
-address <string>    Server address (default: gethostname() output)
-port <integer>      Server port (default: 3478)
-verbosity <integer> Log verbosity [0-5] (default:1-exceptions -)
```

4. Optionally, install the OpenSSL host package. This is needed if you want to use *Secure WAN Transport* with tools such as *RTI Admin Console*. (Use the same process that you used for the **.rtipkg** files above.)
5. Install the OpenSSL target package. (Use the same process that you used for the **.rtipkg** files above.)

The installer will put the OpenSSL target libraries in `<NDDSHOME>\third_party\openssl-1.1.1n`.

6. Add the OpenSSL **lib** directory to your PATH environment variable. For example, assuming you want to use the "release" version of the OpenSSL libraries (enter this on one line):

```
set PATH=
<NDDSHOME>\third_party\openssl-1.1.1n\<architecture>\release\lib;%PATH%
```

7. To verify your OpenSSL installation, enter:

```
openssl version
```

You should see a response similar to:

```
OpenSSL <version>
```

If you get a version other than OpenSSL 1.1.1n, your PATH may be pointing with a higher precedence to a different version of OpenSSL. You may need to place version 1.1.1n first or earlier in your PATH.

You may run into this OpenSSL warning:

```
WARNING: can't open config file: [default openssl built-in path]\openssl.cnf
```

To resolve this issue, set the environment variable `OPENSSL_CONF` to the path to the **openssl.cnf** file you are using. For example (enter this all on one line):

```
set OPENSSL_CONF=
<NDDSHOME>\third_party\openssl-1.1.1n\<architecture>\release\ssl\openssl.cnf
```


4 Installing on Linux and Other Systems

This chapter applies to all supported operating systems except Windows, which is covered in [3 Installing on Windows Systems on page 4](#).

All directory locations are meant as examples only; adjust them to suit your site. <NDDSHOME> is described in [1 Paths Mentioned in Documentation on page 1](#).

1. Install the *Secure WAN Transport* host and target **.rtipkg** files on top of *RTI Connex DDS*.

There are two ways to install: from *RTI Launcher* or from the command line.

To install from *RTI Launcher*:

- a. Start *RTI Launcher*:

```
cd <NDDSHOME>/bin
./rtilauncher
```

- a. From the **Configuration** tab, click on **Install RTI Packages**.
- b. Use the + sign to add the **.rtipkg** files that you want to install.
- c. Click **Install**.

To install from the command line:

```
cd <NDDSHOME>/bin
./rtipkginstall <path to .rtipkg file>
```

This will install files into the existing **rti_connex_dds-6.x.y** directory; including placement of the **rtiwanserver** application in **/bin**.

2. If it is not already included, add <NDDSHOME>/bin to your PATH environment variable:

```
export PATH=<NDDSHOME>/bin:$PATH
```

3. If it is not already included: add <NDDSHOME>/lib/<architecture> to your library search path (pointed to by the LD_LIBRARY_PATH environment variable on Linux systems, DYLD_LIBRARY_PATH on macOS systems).

For example (enter this on one line):

```
export LD_LIBRARY_PATH=<NDDSHOME>/lib/<architecture>:${LD_LIBRARY_PATH}
```

4. To verify your installation, enter:

```
rtiwanserver -help
```

You should see a response similar to:

```
Usage: rtiwanserver [options] ...
Options:
  -help                Display this information
  -address <string>    Server address (default: gethostname() output)
  -port <integer>      Server port (default: 3478)
  -verbosity <integer> Log verbosity [0-5] (default:1-exceptions -)
```

5. Optionally, install the OpenSSL host package. This is needed if you want to use *Secure WAN Transport* with tools such as *RTI Admin Console*. (Use the same process that you used for the **.rtipkg** files above.)
6. Install the OpenSSL target package. (Use the same process that you used for the **.rtipkg** files above.)

The installer will put the OpenSSL target libraries in **<NDDSHOME>/third_party/openssl-1.1.1n**.

7. Add the OpenSSL **lib** directory to your library search path. For example, assuming you want to use the "release" version of the OpenSSL libraries (enter this on one line):

```
export LD_LIBRARY_PATH=
<NDDSHOME>/third_party/openssl-1.1.1n/<architecture>/release/lib:${LD_LIBRARY_PATH}
```

8. To verify your OpenSSL installation, enter:

```
openssl version
```

You should see a response similar to:

```
OpenSSL <version>
```

If you get a version other than OpenSSL 1.1.1n, your PATH may be pointing with a higher precedence to a different version of OpenSSL. You may need to place version 1.1.1n first or earlier in your PATH.

You may run into this OpenSSL warning:

```
WARNING: can't open config file: [default openssl built-in path]/openssl.cnf
```

To resolve this issue, set the environment variable **OPENSSL_CONF** to the path to the **openssl.cnf** file you are using. For example (enter this all on one line):

```
export OPENSSL_CONF=
<NDDSHOME>/third_party/openssl-1.1.1n/<architecture>/release/ssl/openssl.cnf
```

5 Additional Documentation

The following documentation on *Secure WAN Transport* is provided with the *RTI Connex DDS* distribution.

- User's Manual:

<NDDSHOME>/doc/manuals/connex_dds_professional/users_manual/RTI_ConnexDDS_CoreLibraries_UsersManual.pdf

- API Reference HTML documentation:

<NDDSHOME>/doc/api/connex_dds/secure_wan_transport/index.html

- Example code:

<path to examples>/connex_dds/<language>/hello_world_wan

<NDDSHOME> and <path to examples> are described in [1 Paths Mentioned in Documentation on page 1](#).